

FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER, L.L.P.

1300 I STREET, N. W.
WASHINGTON, DC 20005-3315

202 • 408 • 4000
FACSIMILE 202 • 408 • 4400

WRITER'S DIRECT DIAL NUMBER:

(202) 408-4096

November 2 2000

ATTORNEY DOCKET NO.: 04739.0067

Box Patent Application
Assistant Commissioner for Patents
Washington, D.C. 20231

New U.S. Patent Application
Title: Broadcast Receiving Device
Inventor: Hiroyuki KANEMITSU

Sir:

We enclose the following papers for filing in the United States Patent and Trademark Office in connection with the above patent application.

1. A check for \$884.00 representing a \$844.00 filing fee and \$40.00 for recording the Assignment.
2. Application - 40 pages, including 4 independent claims and 23 claims total.
3. Drawings - 27 sheets of formal drawings containing 27 figures.
4. Declaration and Power of Attorney.
5. Recordation Form Cover Sheet and Assignment to Toyota Jidosha Kabushiki Kaisha.
6. Certified copy of Japanese Application No. 11-329404, filed November 19, 1999.

Applicant claims the right to priority based on Japanese Application No. 11-329404, filed November 19, 1999.

11/02/00
JC914 U.S. PTO
09/703678

11/02/00
JC914 U.S. PTO
09/703678

ATLANTA
404 • 653 • 6400
PALO ALTO
650 • 849 • 6600

TOKYO
011 • 813 • 3431 • 6943
BRUSSELS
011 • 322 • 646 • 0353

09/703678 11/02/00

Page 2

Please accord this application a serial number and filing date and record and return the Assignment to the undersigned.

The Commissioner is hereby authorized to charge any additional filing fees due and any other fees due under 37 C.F.R. § 1.16 or § 1.17 during the pendency of this application to our Deposit Account No. 06-0916.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW,
GARRETT & DUNNER, L.L.P.

By: _____

Ernest F. Chapman
Reg. No. 25,961

EFC/FPD/peg
Enclosures

BROADCAST RECEIVING DEVICE

BACKGROUND OF THE INVENTION

1. Field of the Invention

5 The present invention relates to a broadcast receiving device, and particularly to a device including a function for receiving supplementary information transmitted along with a broadcast content. Preferably, the supplementary information is a sequence information standardized in digital broadcast.

10 2. Description of the Related Art

 Satellite, ground television, and ground radio are known forms of digital broadcasting. Furthermore, progress is being made in the development of commercial digital music broadcasting for mobile devices.

15 In digital broadcasting, it is preferable to transmit, together with broadcast content, supplementary information for informing the audience of the broadcast content, as in an EPG (electric program guide). Concerning this supplementary information, "Program Sequence Information Used in Digital
20 Broadcast" (ARIB STD-B10) has been determined as the standard to be adopted by the Association of Radio Industries and Businesses.

 The function of program sequence information corresponds to that of TV and radio guides such as appear in newspapers. The program sequence information in the form of, for example, a
25 displayed information on a monitor of a receiving device, is used by the receiving audience for selecting among programming. The program sequence information may include a program title as a short format descriptor and a program genre as a content descriptor. The program sequence information may further include as an extended

format descriptor a topic information describing the program content. Plural types of topic information (descriptive information provided for each topic) can be designated in an extended format descriptor.

5 In a device including a function for receiving supplementary information such as a program sequence information, it is desirable to enhance the ease of viewing the supplementary information, and to facilitate manipulation for selecting a program using the supplementary information. Especially in small-size receivers
10 such as vehicle-mounted and portable receivers, improved display visibility and operability as mentioned above are desired because there exist limitations on the size of the display screen and the space available for manipulation means such as a keyboard.

15 SUMMARY OF THE INVENTION

The present invention was conceived in the above light. A main object of the present invention is to improve clarity of indication when displaying supplementary information. As explained above, the supplementary information may include plural
20 topic information describing a program. When a variety of topic information is simply listed on a display, especially on a small-size display, the display image becomes complicated and fails to facilitate a quick grasping of an overall view programming. In such a case, the topic information becomes inconvenient to users.

25 The present invention aims to solve this problem.

Another main object of the present invention is to facilitate manipulation for program selection. When searching for a program, the user must input a search keyword. However, the manipulation for inputting a search keyword using a keyboard can be troublesome.

In a small-size device such as a vehicle-mounted or portable device, space considerations are not conducive to the installation of a keyboard. Although it is possible to provide functions equivalent to those of a keyboard using a fewer number of buttons, as is known, such an arrangement requires a more complicated manipulation. A purpose of the present invention is to solve this problem by allowing input of an appropriate search keyword through a simple manipulation.

To accomplish the above objects, a broadcast receiving device of the present invention comprises a supplementary information acquiring means for acquiring supplementary information transmitted together with broadcast content, a display means for displaying the supplementary information, a processing means for processing the supplementary information for displaying on the display means, and a memory means for storing, separately for each genre of broadcast contents, a degree of display priority for each of plural types of topic information related to description of a broadcast content. The processing means obtains genre and topic information from the acquired supplementary information, and displays the topic information on the display means according to the degree of display priority stored in the memory means corresponding to the obtained genre information.

The present invention as described takes advantage of the following factor. Plural types of topic information are input for each program from the supplementary information. The value for a user, such as importance and usefulness, of displaying an information differs among topics. Furthermore, ranking of display values of plural topics differs depending on the program genre.

Accordingly, separately for each genre, a degree of display

priority for each of the plural types of topic information is designated according to the display value, and the topics are indicated in accordance with the priority degrees. For example, the topic information to be displayed may be limited to only information having higher priority. Arrangement and display emphasis according to the priority degree may also be preferable. In this way, according to the present invention, useful information appropriate for the program genre can be displayed by precedence, and display image can be arranged for clear indication.

Preferably, the memory means stores, separately for each program genre, a priority ranking table for defining the ranking of display priority for plural topics.

The broadcast receiving device of the present invention preferably includes a manipulation means for allowing a user to input his/her selection of a topic to be displayed, and changes a display priority degree stored in the memory means according to the number of times of topic selection by the user. According to this aspect, the present invention can be adapted to individual users having different values towards each topic, offering information useful for each user. This is accomplished based on the fact that typically a user of a receiver repeatedly selects information which most highly suits his or her interests and tastes. A number of selection may favorably be expressed as a selection frequency.

The processing means preferably estimates the genre based on the topic information when the supplementary information does not include a genre information, and displays the topic information according to the display priority degree based on the estimated genre. According to this aspect, an appropriate display can be

indicated even when the genre is not identified from the supplementary information, by using the relationship between topic information and genre.

5 The processing means preferably includes a search processing means. The search processing means allows a program search screen image to be displayed on the display means. In the program search screen image, the topic information included in the supplementary information is arranged, as search keywords, in order from the highest degree of display priority. According to this aspect, 10 information highly valuable to the user is displayed by precedence, thereby quickly offering an appropriate indication.

15 In another aspect of the present invention, the broadcast receiving device comprises a supplementary information acquiring means for acquiring supplementary information transmitted together with a broadcast content, a display means for displaying the supplementary information, and a processing means for processing the supplementary information for displaying on the display means, wherein the processing means includes a search processing means. The search processing means extracts from the supplementary 20 information search keywords for searching a program, and allows a program search screen image including the extracted search keywords to be displayed on the display means. Furthermore, the search processing means operates so as to indicate, on the display means, a search result screen image obtained through a program 25 search using a search keyword selected by a user. The search processing means preferably extracts as the search keywords the topic information that are included in a supplementary information and related to description of a broadcast content.

According to the present invention, search keywords are

extracted from the supplementary information and indicated to the user on the search screen image. The user may select a desired search keyword simply by manipulating the search screen image. In this way, troublesome manipulations such as typing of a keyword using a keyboard can be eliminated, facilitating search manipulation and, accordingly, program selection.

Preferably, when a user instructs a search while topic information related to a broadcast content description is displayed, the display image switches to a program search screen image including the topic information as a search keyword. In this way, the user can easily start a search from the topic information indicating screen image.

The present invention preferably includes a keyword memory means for automatically storing as a search keyword a topic information included in a supplementary information corresponding to a program received for listening and/or watching. The keyword memory means preferably performs the storing process by correlating the topic information with a keyword priority degree according to a number of times of topic information extraction. Furthermore, the search processing means preferably displays stored topic information on the program search screen image according to the keyword priority degrees. For example, the topic information is displayed in an order according to the keyword priority degrees.

According to the present invention, search keywords are automatically stored and later read out for use. In this way, a greater number of search keywords become available for use by a user without manipulating a keyboard or the like. By reflecting the number of extractions in a keyword priority degree, search keywords appropriate for each user can be offered.

Preferably, the broadcast receiving device of the present invention further includes a keyword mode switching means. The keyword mode switching means switches between a receiving program keyword indicating mode in which a topic information in the supplementary information corresponding to the program presently received for listening and/or watching is displayed as a search keyword on the program search screen image, and a registered keyword indicating mode in which a topic information stored as a search keyword in the keyword storing means is indicated on the program search screen image.

According to the present invention, keywords related to the presently receiving program and keywords related to a program received for listening and/or watching in the past are indicated as the keywords likely to be requested by the user. In this way, appropriate keywords can be offered according to each user. Furthermore, keywords can be offered appropriately and plentifully even on a small display screen of a vehicle-mounted or portable device.

In the present invention, the supplementary information preferably is program sequence information for a digital broadcast. The supplementary information may include an extended format event descriptor, a content descriptor, and a short format event descriptor. Topic information can be obtained from an extended format event descriptor, while a program genre can be obtained from a content descriptor. Useful information can be offered using the supplementary information standardized in digital broadcast, without employing a separately assigned supplementary information for exclusive use.

The present invention are not limited to aspects configured

as a receiving device. Another aspect of the present invention is, for example, a broadcast receiving method. The present invention may also be implemented as a memory device storing a program for allowing a computer to process a received broadcast signal.

5

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a block diagram illustrating the overall configuration of a broadcast receiving device according to a preferred embodiment of the present invention.

10 Fig. 2 shows EIT information included in a digital broadcast signal.

Fig. 3 shows a display device of the receiving device of Fig. 1.

15 Fig. 4 illustrates the transfer of various screen images indicated on the display of Fig. 3.

Fig. 5 illustrates the station selection screen shown in Fig. 4.

Fig. 6 illustrates the multiplex data indicating screen shown in Fig. 4.

20 Fig. 7 illustrates the menu screen shown in Fig. 4.

Fig. 8 illustrates the program table viewing screen shown in Fig. 4.

Fig. 9 illustrates the registered channel selection screen shown in Fig. 4.

25 Fig. 10 illustrates the genre selection screen shown in Fig. 4.

Fig. 11 illustrates the genre selection screen shown in Fig. 4.

Fig. 12 illustrates the extended format information

indicating screen shown in Fig. 4.

Fig. 13 illustrates the extended format information indicating screen shown in Fig. 4.

Fig. 14 illustrates the extended format information
5 indicating screen shown in Fig. 4.

Fig. 15 illustrates the topic name switching screen shown in Fig. 4.

Fig. 16 illustrates the search screen shown in Fig. 4.

Fig. 17 illustrates the search screen shown in Fig. 4.

10 Fig. 18 illustrates the search screen shown in Fig. 4.

Fig. 19 illustrates the reservation screen shown in Fig. 4.

Fig. 20 illustrates the reservation screen shown in Fig. 4.

Fig. 21 shows a display priority ranking table.

15 Fig. 22 is a flowchart showing an operation of the receiving device related to display priority ranking.

Fig. 23 is a flowchart showing a genre determining processing.

Fig. 24 is a flowchart showing a keyword extracting processing.

20 Fig. 25 is a flowchart showing a keyword registering processing.

Fig. 26 is a flowchart showing a processing for indicating registered keywords.

25 Fig. 27 is an illustration showing the case when the processing performed in a broadcast receiving device is stored in a storage device and executed by a computer.

DESCRIPTION OF PREFERRED EMBODIMENT

A preferred embodiment (hereinafter referred to as the embodiment) of the present invention will now be described referring

to the accompanying drawings.

Fig. 1 is a block diagram illustrating the overall configuration of a broadcast receiving device according to the present embodiment. In the present embodiment, the present invention is implemented in a digital broadcast receiver mounted on a vehicle.

In Fig. 1, the broadcast receiving device 1 comprises an antenna 3 for receiving a digital broadcast signal, a data demodulator 5 for demodulating the broadcast signal received by the antenna 3 into digital data, a control processor 7 for controlling the entire receiver, a memory device 9 for storing various data necessary for processing in the control processor 7, a decoder 11 for generating an audio signal and a video signal for output, a speaker 13 and display 15 for outputting the audio signal and the video signal, respectively, and an input device 17 for manipulation by a user.

A digital broadcast signal transmitted to the broadcast receiving device 1 includes broadcast content information (hereinafter referred to as content information) and supplementary information.

Content information is, for example, music data in a music broadcast, or image and sound data in a television broadcast. The content information is demodulated in the data demodulator 5. Subsequently, under control of the control processor 7, signals for output are generated in the decoder 11 from the content information, and output via the speaker 13 and the display 15.

The supplementary information conveys to the audience information regarding the type of broadcast. In the present embodiment, program sequence information, which is one form of

supplementary information, is used. As stated above, the standard specification is determined for program sequence information under "Program Sequence Information Used in Digital Broadcast" (ARIB STD-B10) by the Association of Radio Industries and Businesses.

5 According to this standard, an EPG (electric program guide) can be generated from an EIT (event information table).

EIT information is received via the antenna 3 at a predetermined interval (every 2 seconds, for example). After being demodulated by the data demodulator 5, the EIT information is processed by the control processor 7 (corresponding to the processing means of the present invention). The control processor 7 analyzes the EIT information and extracts necessary information. In response to user manipulation of the input device 17, information that should be displayed is obtained from the EIT information. The obtained information is processed for output, transmitted to the decoder 11 to be converted into a video signal, and indicated on the display 15.

The EIT information includes information corresponding to the so-called TV and radio guides on a newspaper. For example, one stream of EIT information may include information for plural channels within the stream, regarding the program schedule for each channel and the content of each program. The receiving device and the broadcast system may be configured to acquire information for plural streams (information for the presently receiving stream and non-receiving streams).

According to the specified standard, the EIT information may include various descriptors, as shown in Fig. 2. The descriptors may include, for example, a short format event descriptor 100 indicating a program title, a content descriptor 101 indicating

a program genre, and an extended format event descriptor 102 indicating information explaining a program (topic information). Plural types of topic information are designated in an extended format event descriptor 102. For example, in a music broadcast, plural topics such as song title, singer, songwriter, and composer are designated. In the present embodiment, this descriptor information is effectively used as described below. The arrangement of each descriptor is arbitrary.

Fig. 3 is a front view of the display device 15 of the receiving device. Contents are indicated in the central display screen (display area) 15a. For example, an image of a television broadcast is displayed, or multiplex data of a mood image or the like of a music broadcast may be indicated. And various information which can be obtained from EIT are indicated on the display screen 15a. Concerning screen indication during vehicle traveling, it is preferable to impose a display restriction according to the display content.

Input devices 17 for manipulation by the user are arranged around the display screen 15a. For example, a plurality of function switches (FSW) 15b are arranged under the display screen. Each switch 15b is provided with a function displayed above the switch, and the function of a switch 15b can appropriately be changed. Within the display screen, a number of in-screen switches 15c may be displayed. The user can operate a cursor switch 15d disposed on the right of the function switches 15b to select a desired in-screen switch 15c. The cursor switch 15d is operable in eight directions. Selection is finalized by a push on the cursor switch 15d. Another cursor switch on the upper right may, for example, be used for scrolling up/down channels. It is preferable that the

in-screen switches 15c are grayed out while the vehicle is in motion to restrict selection. Furthermore, to ensure safety during vehicle traveling, it is preferable that manipulation of the cursor switch 15d be invalidated when the vehicle is in motion.

5 It should be noted that the display device 15 of Fig. 3 may be configured as a device which can also be used as a navigation apparatus and for other vehicle-mounted manipulation devices.

Fig. 4 is a diagram showing the transfer of the basic screen images indicated on the display device 15. Specific examples of screen images are shown in Figs. 5-20. The following description refers to a music broadcast as an example.

In Fig. 4, the station selecting screen image A (illustrated in Fig. 5) is used to select a receiving channel. In the upper portion of the station selecting screen image A, the objects of selection, which may be stations of all genres, are shown in an indicator format such as 1-100. In the center portion of the image, the selected (presently receiving) channel and the STD channel composition name are displayed. When the EIT short format information is acquired, the present program title can be displayed.

15 In the lower portion, channel information regarding the channels immediately prior to and after the presently selected channel may be displayed. In Fig. 5, the channel register switch A1 is used to store a desired channel. After selecting a station, stream images and characters of the selected channel are displayed on the multiplex data indicating screen image B (Fig. 6). In Fig. 6, the sound/image recording switch B1 is indicated according to the content of a digital copy descriptor. By pressing the sound/image recording switch B1 while it is indicated, the presently broadcast program is recorded.

When the menu switch A2 is operated in the station selecting screen image A, the menu screen image C (Fig. 7) is displayed. When "indicate program table" C1 is selected while in the menu screen image C, the program table viewing screen image D (Fig. 8) is displayed. Further, when the channel access switch A3 is selected while in the station selecting screen image A, the registered channel selecting screen image E (Fig. 9) is displayed, which includes the registered channel numbers indicated in the lower portion of the image. When the genre switch A4 is operated, the genre selecting screen image F (Fig. 10) is displayed. When a particular genre is selected while in the genre selecting screen image F, programs belonging to the particular genre are extracted and indicated (Fig. 11).

When the program information switch A5 is operated in the station selecting screen image A, the display image changes to the extended format information indicating screen image G (Figs. 12, 13, and 14). In this screen image G, a program name G1 obtained from the EIT short format event descriptor 100 is indicated. In addition, topic information obtained from the extended format event descriptor 102 is also displayed. In Fig. 12, information related to one type of topic is arranged and displayed (in this example, titles of the songs to be broadcast in the selected program are listed). When one song title (BBBB) within the list is selected, plural types of topic information (song title, singer's name, etc.) concerning the selected object are displayed, as shown in Fig. 13. At this point, basically all topics are displayed, and when there are many display items, it is preferable to use a scroll bar G2 to sequentially switch the display items. Further, topics concerning the presently executed event and the events executed

in the past may preferably be visually distinguished (by changing the color of indication, for example). In Fig. 12, the image display switch G3 is indicated only when multiplex information is available.

When the topic change switch G4 of Fig. 12 is operated, the
5 topic changing screen image H (Fig. 15) is indicated. This screen image is used to change the topic information to be displayed.

When the program search switch G5 in the screen of Fig. 13 is operated, the search screen image I (Figs. 16-18) is indicated. A search keyword is designated in the program search screen image
10 of Fig. 16 (the image desirably indicates all topics as keywords; scroll indication may be used when many display items exist). The search results are indicated in the search result screen image shown in Figs. 17 and 18. By highlighting the indication of the items found as a result of the search, user recognition can be facilitated.

When the reservation switch I1 is pressed in the screen image
15 of Fig. 18, the reservation screen image J is displayed (Figs. 19 and 20). In the screen image of Fig. 19, playing or recording of the searched program can be reserved. A message notifying completion of the reservation is indicated as shown in Fig. 20.

20 [Display of Extended Format Information]

Processing for displaying extended format information, which is one feature of the present embodiment, is next described.

Plural types of topic information for explaining a program content can be designated in the extended format event descriptor
25 102. To describe program content in detail, it is preferable to designate more topics. However, when information for many topics is indicated within a limited display area of, for example, a vehicle-mounted monitor, the display image becomes complicated and may not offer a quick overall view of programs.

In light of this limitation, it is preferable to restrict the topic information to be displayed. However, if arbitrarily restricted, topics important to the user may be removed from the screen in order to display unnecessary topics. The issue of how
5 to display appropriate topics is therefore very significant.

Furthermore, it is an advantage of a digital broadcast that a variety of channels can be set to receive programs of many genres. Accordingly, it is desirable to configure an arrangement for providing the users with information on appropriate topics for any
10 genre.

The present invention accomplishes appropriate restriction of displayed topics. Specifically, the present invention makes use of the point that "a value for a user, such as importance and usefulness, of displaying an information differs among topics, and
15 ranking of display values of plural topics differs depending on the genre of the program content".

Considering this point, in the present embodiment, display priority degrees for topic information are designated separately for each genre according to display values, and the topics are
20 displayed according to the priority degrees. Specifically, as shown in Fig. 21, a display priority ranking table defining display priority ranking (one form of display priority degrees) for plural topic information items is stored for every genre. This table is stored in a display priority ranking table storing unit 21 in the
25 memory device 9 within the broadcast receiving device 1 of Fig. 1.

Referring to Fig. 21, for the genre of music, priority ranking is designated in the order of song title, artist, songwriter, composer, and arranger, according to the values for this user. In

this embodiment, a topic concerning persons appearing in a program (cast, newscaster, or weathercaster) is designated as an extended format event descriptor 102 in a plurality of genres, but the ranking for this topic differs in each genre. This is because the value of the information concerning persons appearing in a program differs depending on the genre. The number of displayed topics is determined according to the actual broadcast conditions.

The display priority ranking table of Fig. 21 is used as follows by the control processor 7 (the processing means of the present invention) in the broadcast receiving device 1 of Fig. 1. The processing performed by the control processor 7 is described below referring to the system diagram of Fig. 1 and the flowchart of Fig. 22.

In the present embodiment, the processing of Fig. 22 starts when, for example, the "program information switch A5" (Fig. 5) is operated. After the control processor 7 acquires EIT information from the data demodulator 5, the EIT analyzer 31 analyzes the extended format event descriptor 102 in the EIT to obtain plural types of topic information (S10). In addition, the content descriptor 101 in the EIT is analyzed to obtain the program genre (S12). In S10 and S12, the topic information and genre may be obtained for the program presently received for listening and/or watching.

The output information generator 33 of the control processor 7 refers to the display priority ranking table stored in the memory device 9, and reads out the priority ranking of the obtained genre for each topic information (S14). Based on this priority ranking, output information is generated so as to display the data for the topic having the highest priority rank as the program information

(S16). This output information is indicated on the display 15 via the decoder 11.

The result of the above processing is shown in the extended format information indicating screen image G of Fig. 12. In the example of Fig. 12, a music broadcast is being received. "Music" is detected from the content descriptor 101 as the genre. In the table of Fig. 21, the topic having the highest priority rank in the genre of "music" is "song title", which has the highest value for the user.

Accordingly, as shown in Fig. 12, only the song titles are listed. Singers, songwriters, and composers are not indicated. By displaying upon restricting the information to only those that are highly valuable, the display image is easy to see.

In the above-described present embodiment, the topic for display is restricted based on the priority ranking. This is one form of topic indication according to priority ranking. Other forms of indication are possible within the scope of the present invention.

For example, Fig. 13 shows another form of topic indication according to priority ranking. The screen image of Fig. 13 is displayed when one song is selected in the screen image of Fig. 12. In this example, song "BBBB" is selected. In Fig. 13, all topic information related to the selected song BBBB are indicated, with the order of indication matching the ranking in the priority ranking table. In Fig. 13, the displayed information may be restricted to information within a predetermined rank from the top (for example, only the song title and the artist).

A further topic indication based on priority ranking according to the present invention is executed in a preferable

manner in the topic changing screen image H of Fig. 15. The screen image of Fig. 15 is indicated when the "topic change switch G4" is operated while in the program information screen image (extended format information indicating screen image G) of Fig. 12. In Fig. 12, only the topic "song title", which is at the highest rank according to the display priority ranking, is displayed. When other types of topic information are desired, the user presses the "topic change switch G4" to indicate the screen image of Fig. 15. In the topic changing screen image H of Fig. 15, topic names are listed in order from the highest priority rank. The user operates the cursor switch 15d to select a desired topic. The screen image of Fig. 12 is then displayed again, and the information concerning the selected topic are listed. For example, when "composer" is selected, composers are indicated for all songs.

Similarly in the topic changing screen image H, topics are arranged within a change list in order from the topic most valuable for the user, such that topics which are selected at a higher frequency are arranged near the top of the list. As a result, the amount of manipulation (the number of manipulations of the cursor switch 15d) required for making a desired change is reduced. In this way, the present invention not only achieves clearer screen indication, but also facilitates manipulation.

Priority ranking is effectively used also in the search processing screen image I of Figs. 16~18. This point will be explained later.

Other than the above-described examples, various forms of indication according to priority ranking can be conceived as further modifications of the present embodiment. For example, color coding, change in font size, change in brightness, and other indications

may be implemented according to priority ranking.

[Change of Display Priority Ranking]

In the above-described topic changing screen image H (Fig. 15), the user selects a topic type which he/she desires. By using such a selection manipulation, it is preferable to change the priority ranking of the display priority ranking table (Fig. 21). Specifically, the display priority ranking is changed such that a topic which is selected a more number of times is ranked higher.

For example, a selection frequency storing unit (not shown) for storing a selection frequency for each topic in each genre is provided in a predetermined area within the memory device of Fig. 1. Each time the user selects a change to a particular topic, the control processor increments (+1) the selection frequency of the particular topic. When no topic change is performed, the selection frequency of the topic currently at the highest priority rank may be incremented (+1). The selection frequency is recorded in the predetermined area within the memory device 9. The topic having the highest selection frequency is assigned with the highest priority rank. Priority ranks are then assigned to each of the remaining topics in the order of the selection frequencies. When the selection frequencies of two topics change places within the order, the corresponding ranks within the table also change places. For example, in the example of Fig. 15, the ranking of "artist" becomes the highest when the selection frequency of "artist" exceeds that of "song title".

This aspect is favorable in the following regards. Individual users have different opinions regarding a value of a topic information, depending on their interests and tastes. Song titles may be important for a particular user, while artists may

be important for others. A user of a receiver selects information highly valuable for him/herself at a high frequency. By changing the display priority ranking according to selection frequencies as in the present embodiment, the receiving device can appropriately
5 deal with differences in value standards among individual users. Accordingly, each user can be supplied with information useful to him/herself by precedence, resulting in a further convenient receiving device.

[Estimation of Genre]

10 A feature of the present embodiment is that priority among topics is determined separately for each genre. Genre is obtained from an EIT information, which is a form of supplementary information of the present invention. However, there may be cases when genre information is not included in the EIT information. More
15 specifically, the content descriptor 101 reciting the genre may not be designated. Even in such a case, favorable indication is achieved by the following processing.

In the present embodiment, when genre information cannot be obtained, genre is estimated from the topic information explaining
20 the program. The estimation processing is executed by the control processor 7 by referring to the priority ranking table in the memory device 9. The control processor 7 acquires plural types of topic information as the extended format event descriptor 102 of a particular program. The control processor 7 then determines the
25 degree of match between those topics and the lists of topics within the table. The genre having the list of topics with the highest degree of match is estimated as the genre of the target program.

The degree of match refers to the degree to which the topics within the EIT and the topics within the table are identical. For

example, a list of topics for one genre within the table and the plural topics within the EIT information are obtained. Subsequently, the number of topics included in the EIT information but not included in the table is determined. When this number of topics is small, the degree of match is determined to be high. When a list of topics for a particular genre includes all the topics within the EIT information, the degree of match for the particular genre is determined as highest. Referring to Fig. 21, when title, cast, and director are acquired as topic information, the genre of the target program is estimated to be "movie". When song title and artist name are acquired, the genre of the target program is estimated to be "music".

Fig. 23 is a flowchart illustrating the above processing. An extended format event descriptor 102 is analyzed (S20), and the degree of topic match is determined referring to the table (S22). The genre having the most number of topic match is registered as the estimated genre (S24). The estimated genre is retained in a memory within the control processor 7 or in the memory device 9.

In the present embodiment, the topics are indicated according to the display priority ranking, as described above, based on the estimated genre. Forms of indication are as previously described, and the extended format information may be displayed as shown in Figs. 12~15.

A result of genre estimation can further be effectively used in the genre selecting screen F. In this example, the control processor 7 obtains the genres for all programs within the EIT. When the content descriptor 101 is present, information of the descriptor 101 is used. For programs without content descriptors 101, genres are estimated. Based on the genre information acquired

in this way, the genre selecting screen images F of Figs. 10 and 11 are displayed. In Fig. 10, genre names are assigned to the function switches 15b. When a switch for a particular genre is operated, programs in the particular genre are extracted and displayed (Fig. 11). In the example of Fig. 11, a list of music programs is indicated. Music programs provided with no genre information can also be indicated in the screen image of Fig. 11 based on the estimation results.

In addition to the above, a result of genre estimation can also be employed favorably in any screen image indicating a genre or using genre information.

In the present embodiment as described above, by using the correlation between a genre and topic information, appropriate indication can be accomplished even when a genre of a program is unidentified from a supplementary information such as an EIT.
[Search Processing]

An improvement in search processing, which is another main feature of the present invention, is next described. This feature facilitates search manipulation by users.

Program search is executable based on EIT information acquired in the digital broadcast receiving device 1. However, it is troublesome for a user to perform a manipulation for inputting a search keyword for a program search. Especially in a vehicle-mounted receiver, it is undesirable to install a keyboard for inputting keywords because of spatial limitations. Functions equivalent to a keyboard may be provided in the switches. For example, as in the case of inputting a destination in a navigation apparatus, it may be possible to provide an input function using an alphabet table. However, the input manipulation becomes more

complicated using such an arrangement.

Considering this situation, the present embodiment reduces keyword input manipulation required by a user. To accomplish this, search keywords are extracted from EIT information in the present embodiment. Topic information, which constitute the extended format event descriptor 102 in the EIT information, can be suitably used as keywords. A search screen image including topic information displayed as keywords, and the user selects an appropriate topic information. Programs are searched using the selected topic information as the key. A search result screen image including the searched programs is then displayed.

Fig. 24 is a flowchart showing one example of specific processing according to the present embodiment. This processing is mainly performed by the EIT analyzer 31 in the control processor 7 and the search processor 35. Topic names are first extracted from the extended event descriptor 102 of the program presently received for listening and/or watching (S30). Subsequently, the extracted topic names are indicated to the user as search keywords (S32). It is then judged whether any one of the indicated topic names have been selected by the user (S34).

When an indicated topic name is appropriate, the user selects the topic name and presses the search start switch (ENTER). As a result, the judgement in S34 is determined to be "yes", and a program search is executed using the selected topic as the keyword.

There may be instances where the topic names indicated as the search keywords do not match the user's request. In such a case, the user operates a predetermined switch (not shown) to request for indication of other keywords. The judgement in S34 is then determined to be "no". In response to the user's request, the genre

of the presently receiving program is obtained from the content descriptor 101. When the content descriptor 101 is not available, the genre may be estimated as described above. A program of the same genre is then searched for (S36). When a program of the same genre is found, topic names are extracted from the extended event descriptor 102 of that program and indicated to the user as search keywords (S38). Keywords are successively extracted from other programs until the user approves of a keyword. When the user selects a keyword, a search is executed using the selected keyword.

The above processing is illustrated in the program search screen image I of Fig. 16. This screen image is displayed, for example, when the "program search" switch G5 is operated while in the extended format information indicating screen image G of Fig. 13. A music broadcast is currently being received, and, concerning the receiving content, the song title is BBBB and the singer name is XXXX. This topic information is obtained from the extended event descriptor 102. In the program search screen image I of Fig. 16, this topic information is indicated as search keywords.

For example, the user selects the song title BBBB using the cursor switch 15d while in the program search screen image I of Fig. 16. A search for programs that broadcast the song BBBB is then executed, and the search result screen image I of Fig. 17 is displayed. Each of the programs within Fig. 17 includes the song BBBB as part of its topic information.

When the user selects one of the programs in the search result screen image I of Fig. 17, detailed information concerning the selected program is displayed (Fig. 18). The topic that was selected as the search keyword (the song title BBBB) is distinguishably indicated from other topics. In the example of Fig.

18, the selected search keyword is highlighted.

As described above, search keywords are extracted from an EIT information and indicated in the present embodiment. Search keywords are indicated to the user without requiring the user to perform a manipulation such as inputting of a search keyword character by character. The user can select a desired keyword from among the indicated keywords. In this way, manipulation for a search is greatly reduced, facilitating program selection. Especially in the present embodiment, appropriate keywords which are likely to be requested by the user for search use can be automatically indicated because EIT information including description of program contents are used as keywords.

Further, in the present embodiment, when a user is not satisfied with the keywords extracted in association with the presently receiving program, keywords extracted from the supplementary information related to other programs of the same genre are indicated. Even when no appropriate keywords can be obtained from the receiving program, other suitable keywords can be indicated to the user.

According to the present embodiment, in response to a user manipulation instructing a search, the display screen is switched from the screen image of Fig. 13 to the search screen image I of Fig. 16. Specifically, the screen image which indicates topic information concerning a broadcast content is switched directly to the search screen image I including those topic information as search keywords. Accordingly, the user can smoothly use the topics indicated on the topic indicating screen image as search keywords, and easily start the search operation.

Further, in the present embodiment, the above-described

priority ranking is also effectively used in search processing. In the search screen image I of Fig. 18, plural topic information serving as search keywords are arranged in order from the highest priority rank. In this way, topics having higher frequency to be selected are indicated near the top. As a result, screen indication is easy to see, and the amount of user manipulation for keyword selection can be reduced. Especially when a large number of topics are present, important topics are prevented from being hidden in the lower portion of a scroll screen image, providing a convenient indication.

In the search result screen image of Fig. 18, information regarding "song title", which is the topic having the highest priority rank in the genre of "music", is displayed. By appropriately restricting the topic in this way, uncomplicated and clearly visible screen indication can be achieved.

[Registering Search Keywords]

In the present embodiment, it is preferable to automatically store search keywords as described below. Automatic registration processing in the following description corresponds to automatic keyword storage of the present invention.

Automatic registration processing is executed by the control processor 7. In the control processor 7, the EIT analyzer 31 analyzes EIT information to obtain various descriptor information. The search processor 35 extracts the topic information in the extended event descriptor information of the program presently received for listening and/or watching, and registers the extracted topic information as search keywords in the keyword storing unit 23 within the memory device 9.

It is, however, not desirable to extract keywords from a

program that was temporarily received during the process of selecting a station. The above keyword registration processing is executed under the condition that the program was watched/listened for at least a predetermined period of time.

5 The same topic information may be extracted as an object of registration a plural number of times. Such can occur when, for example, after the song title AAAA is registered while receiving a particular music program, the song title AAAA is acquired while receiving another music program. Accordingly, a keyword is stored
10 together with a priority degree according to the number of times the keyword was extracted. Priority degree is set higher when a greater number of extractions have been made.

Fig. 25 is a flowchart showing an example of the above keyword storing processing. A topic information in the extended format
15 event descriptor 102 of the presently receiving program is extracted and registered (S40). When storing, it is determined whether there exists the same topic item within the previously stored topic items (S42). When S42 is "yes", new registration is not made. Instead, the evaluation value of the corresponding topic item is incremented
20 by one (S44). When the judgement in S42 is "no", the topic item is automatically registered as a new keyword.

The above-mentioned evaluation value is stored for each keyword. The evaluation value is used as the priority degree of the keyword. A priority rank may be designated for each keyword
25 in order from the keyword having the highest evaluation value, and stored in correlation with the keyword.

Search processing using the registered keywords is next described. When the user instructs indication of the search screen image I, keywords stored in the search keyword storing unit 33 are

read out, and listed in the search screen image I in of priority rank. In the present embodiment, the number of displayed keywords is restricted to a predetermined number. Accordingly, the predetermined number of keywords from the top of the priority ranking are displayed.

Fig. 26 is a flowchart showing an example of the above processing. When the user instructs indication of the search screen image, the stored topics (keywords) are extracted (S50). A predetermined number of the extracted keywords from the top of the priority ranking are sequentially displayed (S52). It is then determined whether the user approves any of the displayed keywords (S54).

When a displayed topic item is appropriate, the user selects the topic item and instructs start of a search. The judgement in S54 is then determined to be "yes", and a program search is executed using the selected topic as the keyword.

There may be a case where the topic items indicated as the search keywords do not match the user's request. In this case, the user operates a predetermined switch (not shown) to request indication of other keywords. The judgement in S54 is then determined to be "no". In response to the user's request, the remaining keywords are displayed. The keywords are again displayed in order from the keyword having the highest evaluation value. The keywords that do not fit in the screen image are displayed so as to appear from the bottom portion of the screen image according to scrolling manipulation by the user. When the user selects a keyword, that keyword is used to execute a program search.

As described above, an increased number of keywords for search use is made available in the present embodiment by automatic storage

of search keywords. Specifically, not only the topic information obtained from the presently receiving program, but also those obtained from the programs which the user watched/listened to in the past can be used as keywords.

5 In the present embodiment, a keyword priority degree (evaluation value) is changed according to the number of extractions made with respect to the corresponding topic. Using this procedure, keywords can be offered in accordance with the user's program viewing/listening frequency. For example, if the user frequently
10 receives music programs, keywords related to music are recorded together with high evaluation values. When songs of a particular singer are frequently received in the music programs, the singer's name is recorded as a keyword together with a high evaluation value. Accordingly, even when a search is to be executed while receiving
15 a program of a different genre, the singer's name in the genre of music, which is in accordance with the user's tastes, can be displayed as a keyword near the top of the list.

In this way, appropriate keywords according to individual users can be offered in the present embodiment.

20 [Switching Keyword Modes]

Two types of keyword indication processing have been explained for the present embodiment. One is the processing of Fig. 24, and the other is the processing of Figs. 25 and 26. In the processing of Fig. 24, topic information obtained from the presently
25 receiving program is indicated to the user (receiving program keyword indicating mode). In the other mode, topic information registered as keywords based on the receiving history is indicated to the user (registered keyword indicating mode).

In the latter mode, registered keywords are indicated according

to priority degrees. It is preferable to configure the receiving device such that these two indication modes can be switched. More specifically, a keyword indication mode converting switch is set as a function switch in the search screen. Using this switch, indication of keywords in the search screen image can be switched from the keywords obtained from the receiving program to the registered keywords, and vice versa.

The following advantage can be accomplished by this mode switching. For example, the default setting is the receiving program keyword indicating mode. At the start of a search, keywords useful in searching for programs similar to the receiving program are indicated to the user. As it is very likely that the user is receiving a program that he or she enjoys, keywords can be indicated with a high probability of appropriateness.

However, the program the user was receiving may not have been one that he or she enjoyed, or the user may wish to watch or listen to a program of a different genre. In such a case, the user performs a manipulation for mode switching. As a result, the registered keywords are indicated according to the priority degrees. In other words, keywords related to programs that the user typically watches or listens to are indicated.

In this way, appropriate keywords in line with the user's request can be indicated by switching between the two modes. Furthermore, the present embodiment is advantageous in that appropriate keywords can be supplied plentifully even on a small display screen of a vehicle-mounted device.

The preferred embodiment of the present invention has been described above. While in the present embodiment, the present invention was implemented in a receiving device compatible to MPEG2,

the present invention is not limited to such an embodiment. When an appropriate supplementary information can be obtained, the present invention may be used for a digital broadcast of any other format or even for an analog broadcast.

5 The present invention is not limited to implementation in a vehicle-mounted receiving device, and can be applied in any arbitrary receiving device. However, the advantages of the present invention are especially noticeable in a small-size receiving device such as a vehicle-mounted receiving device and a portable
10 receiving device, because spatial limitations on the display area and manipulation units are imposed to a higher degree in such a device.

15 Furthermore, the present invention may be actualized in the form of a method or a recording medium, as well as a device. When configured as a recording medium, a program for instructing a computer to execute the processing of the present invention is recorded in the recording medium. It is possible to incorporate a program for actualizing the processing of the present invention into a program for analyzing and processing supplementary
20 information such as an EIT information. The recording medium is an arbitrary medium readable by a computer via electric, magnetic, optical, or other means. In the example device of Fig. 1, the control processor corresponds to the computer. The recording medium may be included in the memory device, or, alternatively,
25 in the computer.

Fig. 27 is an example in which a broadcast receiving device is configured by installing a processing program or the like in a computer 41 using a CD-ROM 40. Other than CD-ROM, the recording medium may comprise a floppy disk, magnetic disk, magnetic tape,

RAM, flash memory, optical disk, DVD, or other similar devices.
In this example, a digital broadcast signal is received via a modem
42.

According to the present invention as described above,
5 supplementary information transmitted together with broadcast
contents can be displayed in an easily understandable manner.
Furthermore, the present invention facilitates manipulation of a
receiver in using the supplementary information, or, more
specifically, manipulation for performing a program search.

What is claimed is:

1. A broadcast receiving device, comprising:

a supplementary information acquiring means for acquiring
5 supplementary information transmitted together with broadcast
content;

a display means for displaying said supplementary
information;

a processing means for processing said supplementary
10 information for displaying on said display means; and

a memory means for storing, separately for each genre of
broadcast contents, a degree of display priority for each of plural
types of topic information related to description of a broadcast
content; wherein

15 said processing means obtains genre information and topic
information from said acquired supplementary information, and
displays said topic information on said display means according
to said display priority degree stored in said memory means
corresponding to the obtained genre information.

20 2. The broadcast receiving device as defined in claim 1,
wherein

said memory means stores, separately for each genre, a
priority ranking table defining priority ranking related to display
25 of a plurality of topics.

3. The broadcast receiving device as defined in claim 1,
further comprising:

a means for a user to input a selection of a topic to be

displayed; wherein

a display priority degree stored in said memory means is changed according to a number of times of topic selection by the user.

5

4. The broadcast receiving device as defined in claim 1, wherein

when no genre information is included in said supplementary information, said processing means estimates a genre from said topic information, and displays said topic information according to said display priority degree based on the estimated genre.

10

5. The broadcast receiving device as defined in claim 1, wherein

15

said processing means includes a search processing means which displays a program search screen image on said display means, said program search screen image sequentially indicating, as search keywords used for program search, said topic information included in said supplementary information in order from the highest display priority degree.

20

6. A broadcast receiving device, comprising:

a supplementary information acquiring means for acquiring supplementary information transmitted together with broadcast content;

25

a display means for displaying said supplementary information; and

a processing means for processing said supplementary information for displaying on said display means; wherein

said processing means includes a search processing means for extracting from said supplementary information a search keyword used for program search, displaying on said display means a program search screen image including the extracted search keyword, and
5 displaying on said display means a search result screen image based on a program search using a search keyword selected by a user.

7. The broadcast receiving device as defined in claim 6, wherein

10 said search processing means extracts, as said search keyword, topic information included in said supplementary information and related to description of the broadcast content.

8. The broadcast receiving device as defined in claim 6, wherein
15

when the user instructs a search while a topic information related to description of said broadcast content is displayed, displayed image is switched to a program search screen image including said topic information as a search keyword.

20 9. The broadcast receiving device as defined in claim 6, further comprising:

a keyword storing means for automatically storing, as a search keyword, a topic information included in a supplementary
25 information corresponding to a program watched or listened to by the user.

10. The broadcast receiving device as defined in claim 9, wherein

descriptor.

15. The broadcast receiving device as defined in claim 1,
wherein said supplementary information includes a short format
5 event descriptor.

16. The broadcast receiving device as defined in claim 6,
wherein said supplementary information is a program sequence
information of a digital broadcast.

10 17. The broadcast receiving device as defined in claim 6,
wherein said supplementary information includes an extended format
event descriptor.

15 18. The broadcast receiving device as defined in claim 6,
wherein said supplementary information includes a content
descriptor.

20 19. The broadcast receiving device as defined in claim 6,
wherein said supplementary information includes a short format
event descriptor.

25 20. A program storage device readable by a machine, tangibly
embodying a program of instructions executable by the machine to
perform method steps for processing a received broadcast signal,
said method steps comprising steps of:

acquiring supplementary information transmitted together
with the broadcast content;

obtaining from said acquired supplementary information a

genre information and topic information related to description of said broadcast content;

reading out from a memory means a degree of display priority for each of plural types of topic information determined separately
5 for each genre; and

displaying on a display means said topic information obtained from said supplementary information according to said display priority degree stored in said memory means corresponding to the genre information obtained from said supplementary information.

10

21. A program storage device readable by a machine, tangibly embodying a program of instructions executable by the machine to perform method steps for processing a received broadcast signal, said method steps comprising steps of:

15 acquiring from a broadcast signal supplementary information transmitted together with the broadcast content;

extracting from said supplementary information a search keyword used for program search;

20 displaying on said display means a program search screen image including the extracted search keyword; and

displaying on said display means a search result screen image based on a program search using a search keyword selected by a user.

22. The storage device as defined in claim 20, wherein said
25 storage device is readable by a computer for a receiver.

23. The storage device as defined in claim 21, wherein said storage device is readable by a computer for a receiver.

ABSTRACT OF THE DISCLOSURE

A broadcast receiving device which clearly indicates supplementary information transmitted along with broadcast content, and which facilitates program search. The supplementary information may be a program sequence information of a digital broadcast. Plural types of topic information related to a broadcast content description and a genre of a broadcast content are designated in the supplementary information. A memory device stores, separately for each genre, a display priority degree for each of the plural types of topic information. A control processor obtains genre information and topic information items from an acquired supplementary information. The control processor indicates the topic information items on a display according to the display priority degrees stored in the memory device corresponding to the obtained genre information. When indicating a search screen image, the topic information items are extracted from the supplementary information as search keywords and indicated to the user in the screen image.




Fig. 1

EIT(EVENT INFORMATION TABLE)




Fig.2




Fig. 3




Fig. 4

200003030000




Fig. 6




Fig. 7




Fig. 8




Fig. 9

Fig. 10

STATION : JAPANESE
SELECTION : MUSIC 1...▼...30

CH12 JAPANESE POPS LATEST HITS
XXXX YYYY SPECIAL

CH11 LATEST FOREIGN HITS

CH13 INSTRUMENTALS

BACK MENU GENRE

CH ACCESS IMAGE DISPLAY CH REGISTER RECORD

Fig. 11




Fig.12


[illegible]

Fig. 13




Fig.14




Fig.15

I

PROGRAM SEARCH

PROGRAM SEARCH IS EXECUTED USING THE FOLLOWING TOPICS

SELECT USING THE CURSOR KEY AND ENTER TO ADD/DELETE A TOPIC.

SONG TITLE:BBBB

ARTIST:XXXX

SONGWRITER:VVVV

COMPOSER:WWWW

BACK MENU GENRE

CH ACCESS

RECORD

15d

Fig. 16

I

SEARCH RESULTS

5 PROGRAMS ARE FOUND

SELECT USING THE CURSOR KEY AND ENTER TO SEE THE DETAILS.

CH35 TODAY 11:00~ HIT SONGS...

CH37 TODAY 13:00~ JAPANESE BEST...

CH35 TOMORROW 10:00~ YOUNG HITS...

CH34 TOMORROW 11:00~ FIRST HALF-YEAR BEST...

BACK MENU GENRE

CH ACCESS

RECORD

IMAGE DISPLAY

Fig. 17




Fig.18

Figure 1 is a schematic diagram of a television set. The television has a large central screen and a control panel on the right side. The screen displays the following text:

CH35 BROADCAST TODAY 11:00~12:00
HIT SONGS SPECIAL
RESERVE THIS PROGRAM?

Below the screen, there are three buttons. The first button is labeled "RESERVE FOR PLAYING", the second button is labeled "RESERVE FOR RECORDING", and the third button is labeled "CANCEL".

The control panel on the right side of the television includes a set of four directional arrows (up, down, left, right) and a circular button with a play symbol. The screen is labeled with the letter "J".

Fig. 19




Fig. 20

PRIORITY RANKING	GENRE				
	MUSIC	NEWS	SPORTS	MOVIES	WEATHER FORECAST
1	SONG TITLE	CATEGORY	PLAYER	TITLE	WEATHERCASTER
2	ARTIST	NEWSCASTER		CAST	
3	SONGWRITER			DIRECTOR	
4	COMPOSER			SCRIPTWRITER	
5	ARRANGER			COUNTRY OF PRODUCTION	
6				DISTRIBUTION AGENCY	
7				PRODUCTION YEAR	
8				DUBBING CAST	

Fig. 21




Fig.22

Parameter	Value	Unit	Parameter	Value	Unit
Temperature	25.0	°C	Pressure	1.0	atm
Time	1.0	h	Flow rate	1.0	ml/min
Concentration	1.0	mg/ml	Wavelength	254	nm
pH	7.0		Mobile phase	Water	
Column	150 × 4.6	mm	Stationary phase	ODS	
Detector	UV-254		Injection volume	10	μl
Sample	1.0	mg/ml	Mobile phase	Water	
Mobile phase	Water		Stationary phase	ODS	
Injection volume	10	μl	Flow rate	1.0	ml/min
Flow rate	1.0	ml/min	Temperature	25.0	°C
Temperature	25.0	°C	Pressure	1.0	atm
Pressure	1.0	atm	Flow rate	1.0	ml/min
Flow rate	1.0	ml/min	Wavelength	254	nm
Wavelength	254	nm	Mobile phase	Water	
Mobile phase	Water		Stationary phase	ODS	
Stationary phase	ODS		Injection volume	10	μl
Injection volume	10	μl	Flow rate	1.0	ml/min
Flow rate	1.0	ml/min	Temperature	25.0	°C
Temperature	25.0	°C	Pressure	1.0	atm
Pressure	1.0	atm	Flow rate	1.0	ml/min
Flow rate	1.0	ml/min	Wavelength	254	nm
Wavelength	254	nm	Mobile phase	Water	
Mobile phase	Water		Stationary phase	ODS	
Stationary phase	ODS		Injection volume	10	μl
Injection volume	10	μl	Flow rate	1.0	ml/min
Flow rate	1.0	ml/min	Temperature	25.0	°C
Temperature	25.0	°C	Pressure	1.0	atm
Pressure	1.0	atm	Flow rate	1.0	ml/min
Flow rate	1.0	ml/min	Wavelength	254	nm
Wavelength	254	nm	Mobile phase	Water	
Mobile phase	Water		Stationary phase	ODS	
Stationary phase	ODS		Injection volume	10	μl
Injection volume	10	μl	Flow rate	1.0	ml/min
Flow rate	1.0	ml/min	Temperature	25.0	°C
Temperature	25.0	°C	Pressure	1.0	atm
Pressure	1.0	atm	Flow rate	1.0	ml/min
Flow rate	1.0	ml/min	Wavelength	254	nm
Wavelength	254	nm	Mobile phase	Water	
Mobile phase	Water		Stationary phase	ODS	
Stationary phase	ODS		Injection volume	10	μl
Injection volume	10	μl	Flow rate	1.0	ml/min
Flow rate	1.0	ml/min	Temperature	25.0	°C
Temperature	25.0	°C	Pressure	1.0	atm
Pressure	1.0	atm	Flow rate	1.0	ml/min
Flow rate	1.0	ml/min	Wavelength	254	nm
Wavelength	254	nm	Mobile phase	Water	
Mobile phase	Water		Stationary phase	ODS	
Stationary phase	ODS		Injection volume	10	μl
Injection volume	10	μl	Flow rate	1.0	ml/min
Flow rate	1.0	ml/min	Temperature	25.0	°C
Temperature	25.0	°C	Pressure	1.0	atm
Pressure	1.0	atm	Flow rate	1.0	ml/min
Flow rate	1.0	ml/min	Wavelength	254	nm
Wavelength	254	nm	Mobile phase	Water	
Mobile phase	Water		Stationary phase	ODS	
Stationary phase	ODS		Injection volume	10	μl
Injection volume	10	μl	Flow rate	1.0	ml/min
Flow rate	1.0	ml/min	Temperature	25.0	°C
Temperature	25.0	°C	Pressure	1.0	atm
Pressure	1.0	atm	Flow rate	1.0	ml/min
Flow rate	1.0	ml/min	Wavelength	254	nm
Wavelength	254	nm	Mobile phase	Water	
Mobile phase	Water		Stationary phase	ODS	
Stationary phase	ODS		Injection volume	10	μl
Injection volume	10	μl	Flow rate	1.0	ml/min
Flow rate	1.0	ml/min	Temperature	25.0	°C
Temperature	25.0	°C	Pressure	1.0	atm
Pressure	1.0	atm	Flow rate	1.0	ml/min
Flow rate	1.0	ml/min	Wavelength	254	nm
Wavelength	254	nm	Mobile phase	Water	
Mobile phase	Water		Stationary phase	ODS	
Stationary phase	ODS		Injection volume	10	μl
Injection volume	10	μl	Flow rate	1.0	ml/min
Flow rate	1.0	ml/min	Temperature	25.0	°C
Temperature	25.0				

S20

S22

S24

Fig. 23

Fig. 23




Fig.24




Fig.25




Fig. 27

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Declaration and Power of Attorney For Patent Application

特許出願宣言書及び委任状

Japanese Language Declaration

日本語宣言書

下記の氏名の発明者として、私は以下の通り宣言します。

As a below named inventor, I hereby declare that:

私の住所、私書箱、国籍は下記の私の氏名の後に記載された通りです。

My residence, post office address and citizenship are as stated next to my name.

下記の名称の発明に関して請求範囲に記載され、特許出願している発明内容について、私が最初かつ唯一の発明者（下記の氏名が一つの場合）もしくは最初かつ共同発明者である（下記の名称が複数の場合）信じています。

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

BROADCAST RECEIVING DEVICE

上記発明の明細書（下記の欄でx印がついていない場合は、本表に添付）は、

the specification of which is attached hereto unless the following box is checked:

☒ 月 日に提出され、米国出願番号または特許協定条約国際出願番号を _____ とし、
（該当する場合） _____ に訂正されました。

☐ was filed on _____
as United States Application Number or
PCT International Application Number
_____ and was amended on
_____ (if applicable).

私は、特許請求範囲を含む上記訂正後の明細書を検討し、内容を理解していることをここに表明します。

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

私は、連邦規則法典第37編第1条56項に定義されるとおり、特許資格の有無について重要な情報を開示する義務があることを認めます。

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Japanese Language Declaration (日本語宣言書)

私は、米国法典第35編119条(a)-(d)項又は365条(b)項に基づき下記の、米国以外の国の少なくとも一カ国を指定している特許協力条約365(a)項に基づき国際出願、又は外国での特許出願もしくは発明者証の出願についての外国優先権をここに主張するとともに、優先権を主張している、本出願の前に出願された特許または発明者証の外国出願を以下に、枠内をマークすることで、示しています。

Prior Foreign Application(s)

外国での先行出願

<u>Hei 11-329404</u>	<u>Japan</u>
(Number)	(Country)
(番号)	(国名)
<u> </u>	<u> </u>
(Number)	(Country)
(番号)	(国名)

私は、第35編米国法典119条(e)項に基づいて下記の米国特許出願規定に記載された権利をここに主張いたします。

<u> </u>	<u> </u>
(Application No.)	(Filing Date)
(出願番号)	(出願日)

私は、下記の米国法典第35編120条に基づいて下記の米国特許出願に記載された権利、又は米国を指定している特許協力条約365条(c)に基づき権利をここに主張します。また、本出願の各請求範囲の内容が米国法典第35編112条第1項又は特許協力条約で規定された方法で先行する米国特許出願に開示されていない限り、その先行米国出願書提出日以降で本出願書の日本国内または特許協力条約国際提出日までの期間中に入手された、連邦規則法典第37編1条56項で定義された特許資格の有無に関する重要な情報について開示義務があることを認識しています。

<u> </u>	<u> </u>
(Application No.)	(Filing Date)
(出願番号)	(出願日)
<u> </u>	<u> </u>
(Application No.)	(Filing Date)
(出願番号)	(出願日)

私は、私自身の知識に基づいて本宣言書中で私が行なう表明が真実であり、かつ私の入手した情報と私の信じることに基づき表明が全て真実であると信じていること、さらに故意になされた虚偽の表明及びそれと同等の行為は米国法典第18編第1001条に基づき、罰金または拘禁、もしくはその両方により処罰されること、そしてそのような故意による虚偽の声明を行えば、出願した、又は既に許可された特許の有効性が失われることを認識し、よってここに上記のごとく宣誓を致します。

I hereby claim foreign priority under Title 35, United States Code, Section 119 (a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed.

Priority Not Claimed

優先権主張なし

<u>19/November/1999</u>
(Day/Month/Year Filed)
(出願年月日)
<u> </u>
(Day/Month/Year Filed)
(出願年月日)

I hereby claim the benefit under Title 35, United States Code, Section 119(e) of any United States provisional application(s) listed below.

<u> </u>	<u> </u>
(Application No.)	(Filing Date)
(出願番号)	(出願日)

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s), or 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code Section 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of application.

<u> </u>
(Status: Patented, Pending, Abandoned)
(現況: 特許許可済、係属中、放棄済)
<u> </u>
(Status: Patented, Pending, Abandoned)
(現況: 特許許可済、係属中、放棄済)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Japanese Language Declaration

委任状：私は、下記発明者として、以下の弁理士及び代理人、またはそのいずれかをここに選任し、本願の手続きを遂行すること並びにこれに関する一切の行為を米国特許商標庁に対して行うことを委任する。(代理人氏名及び登録番号を明記のこと)

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (list agent's name(s) and registration number(s))

FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER, Reg. No. 22,540; Douglas B. Henderson, Reg. No. 20,291; Ford F. Farabow, Jr., Reg. No. 20,630; Arthur S. Garrett, Reg. No. 20,338; Donald R. Dunner, Reg. No. 19,073; Brian G. Brunsvold, Reg. No. 22,593; Tipton D. Jennings, IV, Reg. No. 20,645; Jerry D. Voight, Reg. No. 23,020; Laurence R. Hefter, Reg. No. 20,827; Kenneth E. Payne, Reg. No. 23,098; Herbert H. Mintz, Reg. No. 26,691; C. Larry O'Rourke, Reg. No. 26,014; Albert J. Santorelli, Reg. No. 22,610; Michael C. Eimer, Reg. No. 25,857; Richard H. Smith, Reg. No. 20,609; Stephen L. Peterson, Reg. No. 26,325; John M. Romary, Reg. No. 26,331; Bruce C. Zotter, Reg. No. 27,680; Dennis P. O'Reilly, Reg. No. 27,932; Allen M. Sokal, Reg. No. 26,695; Robert D. Bajefsky, Reg. No. 25,387; Richard L. Stroup, Reg. No. 28,478; David W. Hill, Reg. No. 28,220; Thomas L. Irving, Reg. No. 28,619; Charles E. Lipsey, Reg. No. 28,165; Thomas W. Winland, Reg. No. 27,605; Basil J. Lewis, Reg. No. 28,818; Martin I. Fuchs, Reg. No. 28,508; E. Robert Yoches, Reg. No. 30,120; Barry W. Graham, Reg. No. 29,924; Susan Haberman Griffen, Reg. No. 30,907; Richard B. Racine, Reg. No. 30,415; Thomas H. Jenkins, Reg. No. 30,857; Robert E. Converse, Jr., Reg. No. 27,432; Clair X. Mullen, Jr., Reg. No. 20,348; Christopher P. Foley, Reg. No. 31,354; John C. Paul, Reg. No. 30,413; Roger D. Taylor, Reg. No. 28,992; David M. Kelly, Reg. No. 30,953; Kenneth J. Meyers, Reg. No. 25,146; Carol P. Einaudi, Reg. No. 32,220; Walter Y. Boyd, Jr., Reg. No. 31,738; Steven M. Anzalone, Reg. No. 32,095; Jean B. Fordis, Reg. No. 32,984; Barbara C. McCurdy, Reg. No. 32,120; James K. Hammond, Reg. No. 31,964; Richard V. Burgujian, Reg. No. 31,744; J. Michael Jakes, Reg. No. 32,824; Thomas W. Banks, Reg. No. 32,719; M. Paul Barker, Reg. No. 32,013; Bryan C. Diner, Reg. No. 32,409; Christopher P. Isaac, Reg. No. 32,616; Andrew C. Sonu, Reg. No. 33,457; Dirk D. Thomas, Reg. No. 32,600

書類の送付先：

Send Correspondence to:

FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005-3315

直通電話連絡先：(名称及び電話番号)

Direct Telephone Calls to: (name and telephone number)

ARTHUR S. GARRETT
202-408-4091

唯一のまたは第一の発明者の氏名	Full name of sole or first inventor Hiroyuki KANEMITSU
同発明者の署名 日付	Inventor's signature Date Hiroyuki Kanemitsu Sep. 4, 2000
住所	Residence Susono-shi, Shizuoka-ken, Japan
国籍	Citizenship Japan
郵便の宛先	Post Office Address c/o TOYOTA JIDOSHA KABUSHIKI KAISHA 1, Toyota-cho, Toyota-shi, Aichi-ken, 471-8571 Japan

第二の共同発明者の氏名 (該当する場合)	Full name of second joint inventor, if any
同第二発明者の署名 日付	Second inventor's signature Date
住所	Residence
国籍	Citizenship
郵便の宛先	Post Office Address

(第三またはそれ以降の共同発明者に対しても同様な情報及び署名を提供すること。)

(Supply similar information and signature for third and subsequent joint inventors.)